

# Welcome to the EDATA data pool: free access to high quality product data that saves you time and money

Richard Appleton

Head of Digitalisation




# Digitalisation

## Mission

**To support and accelerate digital transformation in the electrotechnical supply chain**



# EDATA – The Electrotechnical Sector Data Pool



In the digital world product data is your **“silent sales team”**.

EDATA hosts manufacturers' product data, owned and managed by the manufacturers.

EDA member wholesalers may access and download the data free of charge.



**EDATA: all the data required to create a typical web product page or product data sheet**



## Cobra Essential-M 2 Gang 13A Switched Socket with Twin USB Outlets

<Manufacturer Logo>

<Manufacturer's Part Number>

- Slim profile
- Clip on face plate; no visible screws
- Type A USB
- ASTA approved
- Building Regulations Part M compliant
- Outboard rockers
- 5 year manufacturer's warranty

The Cobra essential-M range of wiring accessories includes a wide range of standard accessories all with rockers and inserts in contrasting colours compliant with Part M of the Building Regulations. The 2 gang 13A switched socket is ideal for charging mobile phones, tablets, cameras and all mobile devices.

[Technical Specification](#) [Downloads](#) [BIM](#)

## PRODUCT DATA SHEET

### Bell Lighting 11370

#### Firestay Duo 4/6W - 4 CCT 2 Wattage Switchable LED Downlight (No Bezel)

Manufacturer: Bell Lighting

GTIN: 5012508113708

Range: Firestay Duo

Family: Downlights

### DESCRIPTION

The Firestay Duo LED CCT is a High Output Downlight ideal for high ceilings or any project requiring intensity light, 4 way colour and 2 wattages switchable straight out of the box. With a 7 year plus fire rating (2700/3000/4000/5000K) to suit the mood of any space while the rear facing wattage switch instantly dictate the light level of any commercial or residential premises.

- Firestay Certification: 30, 60 and 90 minute solid joist ceilings, 30 minute I-Joist & Metal W system
- 8 in 1 fixture: 4 colour temperatures, 2 wattages
- Front CCT switch
- White, Satin, Chrome, Brass, Antique Brass & Matt Black bezels available
- Tool-free termination

BELLighting

PRODUCT 11370

### TECHNIQUE

#### ETIM Class

#### Primary Function

Colour of light

Critical temperature

Degree of protection

Heating control

#### Additional Function

Adjustability

Beams angle

Beam angle adj.

Critical temperature

Colour temperature

Control gear included

Height/depth (mm)

Housing material

Luminous flux (lm)

Luminous intensity

User diameter

### FURTHER

Product Status: [Live](#)

Trade Tariif Code: [11370](#)

Bell Lighting, 0161 989 8900

### Disclaimer

- This data sheet is for general information only.
- All dimensions are approximate.
- Material Data Sheets are available on request.
- Technical data sheets are available on request.
- The Product is CE marked.

PRODUCT DATA SHEET

Bell Lighting, LTD

TECHNICAL SPECIFICATION

**ETIM Class: Downlight / spot luminaire / floodlight (EC001744)**

**Primary Features**

Colour of light	white	Lamp included	Yes
Colour temperature (K)	2700 - 6500	Maximum system power (W)	8
Degree of protection (IP rating)	IP65	Nominal voltage (V)	220 - 240
Housing colour	white	Number of lamps	1

**Additional Features**

Adjustability	Not adjustable	Suitable for ceiling mounting	Yes
Beam angle	Wide beam 45-80°	Suitable for clamp mounting	No
Beam angle adjustable	No	Suitable for light fixture mounting	No
Colour rendering index (CRI/Ra)	80-90	Suitable for pedestal/track mounting	No
Colour temperature switchable	Discrete positions	Suitable for recessed mounting	Yes
Control gear included	Yes	Suitable for surface mounting	No
Height/depth (mm)	55	Suitable for suspended mounting	No
Housing material	Aluminium	Suitable for downlight mounting	No
Luminous flux (lm)	413 - 620	Suitable for wall mounting	No
Luminous intensity (cd)	595	With light sensor	No
Outer diameter (mm)	90	With movement sensor	No

**FURTHER DETAILS**

Product Status (at download): Active

Date Updated: 21-08-2023

Trade Tariif Commodity Code: 8402429900

Country of Origin: CN

Bell Lighting, Unit A Foxbridge Way Newmarket Industrial Estate, NORTHANTON, NN6 1TU  
(01604 893386)  sales@belllighting.co.uk  <http://www.belllighting.co.uk/>

**Disclaimer**

• This Data Sheet was downloaded from ETIM-[www.ETIM.org](http://www.ETIM.org) - the UK-accredited industry data-and-managed by EASA Data Services Limited in-cooperation with the International Electrotechnical Commission (IEC) and IEC 62061.

• All rights reserved. The data sheet is the intellectual property of the Manufacturer. No part of this Data Sheet may be reproduced without the express written permission of the Manufacturer.

• Revised Data Sheets are a permanent record of the Product. These are the latest version of the Data Sheet. The subsequent modification of this current Data Sheet (after publication and performance) will be indicated by a new Data Sheet number.

• Sales representatives offer a permanent record account of the Product. These are a permanent record of the Product. The latest version of the Data Sheet is the one that is downloaded from EASA Data Services Limited in-cooperation with the International Electrotechnical Commission (IEC) and IEC 62061.

• Any Data Sheet version on this Data Sheet is not continuously valid. This Manufacturer reserves the right to amend this Product Data without prior notice.

# Growth: 85 leading brands choosing EDATA



A Brand of Prysmian Group



Powering Business Worldwide



Creating the Future of Energy



# How wholesalers use EDATA



EDATA is available free of charge to all EDA member wholesalers




**SEAMLESS INTEGRATION:**  
EDATA can be fully integrated with wholesalers' ERP systems using our comprehensive suite of API calls providing one-click access to accurate, current and comprehensive product information.



## TRADE COUNTER CUSTOMER SERVICE:

Search & find answers to technical questions and download PDF Product Data Sheets in a standard format to accompany quotations, submittals or to create Operation & Maintenance manuals.



## QUALITY & QUANTITY:

Bulk data downloads and API links to populate and update wholesalers' web sites directly or via a Product Information Management (PIM) system.



**FAST AND EFFICIENT:**  
Generate EDATA Product Data Sheets from within your own systems using customised URLs.

EDA wholesalers register for FREE access here: [www.eda.org.uk/etim-edata/register-for-edata/](http://www.eda.org.uk/etim-edata/register-for-edata/)